



## SCL-222GMU+

High-end Backbar Cooler

### Product Features

- Many customisation possibilities
- Removable cooling unit for easy service
- Fast pull-down of temperature
- Adjustable plate shelves
- LED Color light with remote control
- Skinplate exterior/interior
- Digital controller and temperature display
- Ventilated cooling
- Optional lock

High-end backbar with LED Colour lighting

| Measures and Content       |                   |                      |
|----------------------------|-------------------|----------------------|
| Temperature Range          | °C                | +2 to +10            |
| Climate Class              |                   | 4                    |
| Gross / Net Weight         | kg                | 148 / 133.5          |
| Gross / Net Volume         | l                 | 455 / 422            |
| Design and Material        |                   |                      |
| Bottom Shelf Dimensions    |                   | 1345 x 460           |
| Door Number & Type         |                   | 3 hinged glass doors |
| Max load on Shelves        | kg/m <sup>2</sup> | 180                  |
| Shelf Color                |                   |                      |
| Shelf Dimensions           |                   | 370 x 428 mm         |
| Shelves Number & Type      |                   | 6 adjustable         |
| Feet / Legs                |                   | Adjustable Feet      |
| Exterior Finish            |                   |                      |
| Interior Finish            |                   |                      |
| Interior Light             |                   | LED                  |
| Lock                       |                   | Yes                  |
| Cooling and Functions      |                   |                      |
| Type of Controller         |                   | Electronic           |
| Type of Cooling            |                   | Ventilated           |
| Type of Defrost            |                   | Automatic            |
| Refrigerant                |                   | R290                 |
| Refrigerant Charge         | g                 | 80                   |
| Thermometer                |                   | Yes                  |
| Power and Consumption      |                   |                      |
| Energy Class               |                   | C                    |
| Energy Consumption         | kWh/24h           | 1.65                 |
| Annual Energy Consumption  | kWh/year          | 605                  |
| Input Power                | W                 | 300                  |
| Voltage / Frequency        | V/Hz              | 220-240/50           |
| Noise Level                | dB(A)             | 41                   |
| Dimensions                 |                   |                      |
| Internal Dimension (WxDxH) | mm                | 1345.5 x 470 x 735   |
| External Dimension (WxDxH) | mm                | 1720 x 560 x 820     |
| Packed Dimension (WxDxH)   | mm                | 1775 x 610 x 970 mm  |
| 40ft Container Load        | pcs               | 52                   |



With the SCL Combi-Line glass door backbar, you can showcase your product selection while creating the desired atmosphere in your bar environment. Equipped with advanced LED Colour lighting, you can customise both the colour and gradient with ease using the remote control which is included. Whether you want vibrant purple, calming green, deep blue, or energetic red, you can tailor the lighting to match the unique ambiance of your bar environment.

The SCL Combi-Line sets a new standard when it comes to professional bottle cooling. Not only do you get a truly stunning design, but every little detail has been chosen with care and consideration. The coated skinplate exterior resists scratches and fingerprints, ensuring a flawless look even in busy environments, while adjustable plate shelves let you store bottles of all types with ease.

However, what really sets the SCL apart from other backbars is the removable cooling unit. This means that in the rare event that a malfunction occurs, service can be carried out swiftly, and if you have a backup cooling unit in store, you'll be limited to just a few minutes of down time. This is invaluable in busy bar environments.

The SCL-GMU+ range comes with glass doors as standard, but you can customise the cabinet to fit your needs. Choose between a variety of fronts and cooling modules to build the perfect bar setup for your business. The only restriction is that the cooling unit must always be placed to the right side of the cabinet – the rest is entirely up to you.

#### Drawers:

We offer a versatile range of drawer options. Choose between a section with two equal size drawers (solid or glass front), two drawers of different heights, three equal size drawers (solid or glass front), or a section with a bottle rack in the top and a drawer beneath. All drawers are fully extendable and illuminated by LED Color lighting when combined with this range.

#### Solid doors:

You have the option of building a section with a solid door. If you would like an all solid door version, check out the SCL-MU+ range.

#### Neutral sections:

The neutral or non-refrigerated sections can be placed at the left side of the cabinet, enabling the completion of every bar section in a professional and efficient way.

#### Cooling unit modules:

The SCL-GMU+ range comes with a machine cooling unit as standard, but we also offer two options for remote cooling: VS (see SCL-GVS range) and Glycol (see SCL-GGlycol+ range).

|                            |    |     |
|----------------------------|----|-----|
| Gross / Net Weight         | kg | /   |
| Gross / Net Volume         | l  |     |
| Door Number & Type         |    |     |
| Shelves Number & Type      |    |     |
| Internal Dimension (WxDxH) | mm |     |
| External Dimension (WxDxH) | mm | x x |
| Packed Dimension (WxDxH)   | mm | x x |

## Product Features

