Measures and Content

Insulation Density	kg/m³	40
Total Display Area	m²	2.93
Temperature Range	°C	-18 to +5
Climate Class		3
Gross / Net Weight	kg	415 / 380
Gross Volume	l	640
Net Volume	l	427
Gross / Net Volume	l	640 / 427

Design and Material

|	
Tempered glass	Yes
Number of lids	2
Castors	Wheels
Exterior Finish	Black RAL9005
Interior Finish	Black (RAL9005)
Interior Light	LED Horizontal
Lock	No

Cooling and Functions

Type of Controller	Electronic
Type of Cooling	Ventilated
Type of Defrost	Automatic, hot gas
Refrigerant	R290
Refrigerant Charge	g	149
Thermometer	Yes

Power and Consumption

Energy Class		C
Max Ambient		25°C at 60% RH
Energy Consumption	kWh/24h	12.4
Annual Energy Consumption	kWh/year	4526
EEI	%	32.29
Input Power	W	1649
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	54

Dimensions

Internal Dimension (WxDxH)	mm	1860 x 790 x 300
External Dimension (WxDxH)	mm	2012 x 1010 x 975
Packed Dimension (WxDxH)	mm	2070 x 1070 x 1155 mm
40ft Container Load	pcs	22

EIB-D1020-B1

Black impulse cooler/freezer

Product Features
• Easily switchable between cooler and freezer
• Temperature Class 3M1/3L1
• Glass sides for better presentation of products
• Ventilated cooling
• LED interior light
• Sliding glass lids
• Ticket strip included
• Controller with Bluetooth and NFC connectivity
• HACCP compliant data export
• Stainless steel bumper bars on all four sides
• Castors, 2 lockable

Versatile impulse chiller/freezer

Strong handle   Digital controller