



SCL-222MU+

High-end Backbar Cooler

Product Features

- Many customisation possibilities
- Removable cooling unit for easy service
- Fast pull-down of temperature
- Adjustable plate shelves
- White LED lighting
- Skinplate exterior/interior
- Digital controller and temperature display
- Ventilated cooling
- Optional lock

High-end backbar with unlimited options

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	139 / 124.5
Gross / Net Volume	l	455 / 422
Design and Material		
Bottom Shelf Dimensions		1345 x 460
Door Number & Type		3 hinged solid doors
Max load on Shelves	kg/m ²	180
Shelf Color		
Shelf Dimensions		370 x 428 mm
Shelves Number & Type		6 adjustable
Feet / Legs		Adjustable Feet
Exterior Finish		
Interior Finish		
Interior Light		LED
Lock		Factory Option
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	80
Thermometer		Yes
Power and Consumption		
Energy Class		C
Energy Consumption	kWh/24h	1.26
Annual Energy Consumption	kWh/year	463
Input Power	W	300
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	41
Dimensions		
Internal Dimension (WxDxH)	mm	1345.5 x 470 x 735
External Dimension (WxDxH)	mm	1720 x 560 x 820
Packed Dimension (WxDxH)	mm	1775 x 610 x 970 mm
40ft Container Load	pcs	52



The SCL Combi-Line from Serrco sets a new standard when it comes to professional bottle cooling. Not only do you get a truly stunning design, but every little detail has been chosen with extra care and consideration. The coated skinplate exterior resists scratches and fingerprints, ensuring a flawless look even in busy environments, while adjustable plate shelves let you store bottles of all types with ease.

Yet, what really sets the SCL apart from other backbars is the removable cooling unit. This means that in the rare event of malfunction, service can be done swiftly and, if you have a backup cooling unit in store, you should never experience more than a few minutes down time. This is invaluable in busy bar environments.

The SCL-MU+ range comes with solid doors as standard, but you can mix and match between a variety of options to build the perfect bar set-up for your business. The only restriction is that the cooling unit must always be placed to the right side of the cabinet – the rest is entirely up to you.

Glass doors:

If you would like to highlight your product selection, glass doors are the ideal solution. The white LED lighting in the cabinet will help make your products stand out and tempt parched guests. If you would like an all-glass door version with LED Colour, see the SCL- GMU+ range.

Drawers:

Choose between a section with two equal size drawers (solid or glass front), two drawers of different heights, three equal size drawers (solid or glass front), or a section with a bottle rack in the top and a drawer beneath. All drawers are fully extendable and illuminated by white LED lighting when combined with this range.

Neutral sections:

The neutral or non-refrigerated sections can be placed at the left side of the cabinet, enabling the completion of every bar section in a professional and efficient way.

Cooling unit modules:

The SCL-GMU+ range comes with a machine cooling unit as standard, but we also offer two options for remote cooling: VS (see SCL-VS range) and Glycol (see SCL-Glycol+ range).

Gross / Net Weight	kg	/
Gross / Net Volume	l	
Door Number & Type		
Shelves Number & Type		
Internal Dimension (WxDxH)	mm	
External Dimension (WxDxH)	mm	x x
Packed Dimension (WxDxH)	mm	x x

Product Features

