



## BERMUDA RV13

### Ventilated Scoop Ice Cream Display

#### Product Features

- Accepts Napoli pans (not supplied)
- Heated glass to help prevent condensation
- Easy access understorage
- Interior light with switch
- Digital controller and temperature display
- Rear night curtain to maintain temperature
- Castors
- Automatic defrost
- Ventilated cooling
- Optional scoop wash

### Ventilated 13 scoop ice cream display with under-storage

The Bermuda range from ISA is available in a 10 or 13 pan display. This cabinet features ventilated cooling to maintain your ice cream or gelato at the optimum serving temperature, it also has separate refrigerated under storage which is unusual for a ventilated unit, this makes it easy to restock the display quickly without having to leave the cabinet. Plus, the Bermuda boasts an elegant curved glass design that is heated to help prevent condensation, as well as castors for easy mobility and an internal LED light that beautifully illuminates your ice cream or gelato. With its great quality and price point, the Bermuda is a popular choice for ice cream and gelato sellers.

#### Measures and Content

|                          |                |                      |
|--------------------------|----------------|----------------------|
| Total Display Area       | m <sup>2</sup> | 0.77                 |
| Serving Capacity         |                | 13 Napoli Pans (5 L) |
| Storage capacity (under) |                | 14 Napoli pans (5 L) |
| Temperature Range        | °C             | -20 to -14           |
| Climate Class            |                | 4                    |
| Gross / Net Weight       | kg             | 220 / 200            |
| Gross / Net Volume       | l              | 395 / 325            |

#### Design and Material

|                 |           |
|-----------------|-----------|
| Tempered glass  | Yes       |
| Castors         | 4 castors |
| Exterior Finish | Grey      |
| Interior Finish | White     |
| Interior Light  | LED       |
| Lock            | No        |

#### Cooling and Functions

|                    |                    |
|--------------------|--------------------|
| Type of Controller | Electronic         |
| Type of Cooling    | Ventilated         |
| Type of Defrost    | Automatic, hot gas |
| Refrigerant        | R290               |
| Refrigerant Charge | g195               |
| Thermometer        | Yes                |

#### Power and Consumption


|                           |          |                |
|---------------------------|----------|----------------|
| Energy Class              |          | E              |
| Max Ambient               |          | 30°C at 55% RH |
| Energy Consumption        | kWh/24h  | 26.2           |
| Annual Energy Consumption | kWh/year | 9563           |
| EEl                       | %        | 54             |
| Power                     |          | 13 Amp         |
| Input Power               | W        | 1830           |
| Voltage / Frequency       | V/Hz     | 220-240/50     |
| Noise Level               | dB(A)    | 56             |

#### Dimensions

|                            |     |                      |
|----------------------------|-----|----------------------|
| Internal Dimension (WxDxH) | mm  | 1530 x 517 x 232     |
| External Dimension (WxDxH) | mm  | 1670 x 800 x 1340    |
| Packed Dimension (WxDxH)   | mm  | 1770 x 870 x 1420 mm |
| 40ft Container Load        | pcs | 13                   |



Strong castors



Rear night curtain to maintain temperature